

URANO LINE



他们是完美的包装工厂，实验室，并为所有需要大量生产的客户。真空泵是非常强大的;此外，没有焊接的锻造真空室和电子真空控制，提供了最大的保证效果。



They are perfect for packing-factories, laboratories, and for all the customers requiring a substantial production. The vacuum pumps are extremely powerful; moreover, the forged vacuum chambers with no weldings, and the electronic vacuum control, offer maximum guarantee in results.



La version idéale pour les centres de conditionnement, pour les grands laboratoires et pour toutes les activités qui nécessitent une bonne productivité. Les pompes pour le vide sont extrêmement puissantes, les chambres de vide imprimées et avec les angles arrondis et le contrôle électronique du vide vous offrent la garantie plus complète dans les résultats.



Son las maquinas ideales para el empaque en grandes centros productivos, laboratorios de mayoristas y para todos los que necesitan de una buena productividad. Las bombas de vacio muy potentes, las cámaras de vacio hechas de moldeo y el control electrónico de vacio ofrecen las maximas garantias de resultados logrados.



Diese Maschinen sind perfekt für die Verpackungsgeschäfte und für alles, nach einer gute Produktivität fragen. Die Pumpe sind besonders stark, die Kammer haben keine Ecke und die elektronische Prüfung der Vakuumierung bietet den Kunden die besten Ergebnisse.



U R A N O L I N E



SUPER




HYPER

型号 model modèles modelo Modelle	机器尺寸 overall dimension dim. d'encombrement dimensiones Größe	腔体尺寸 size of the chamber dim. de la chambre dim. de la càmara Kammergröße	封口长度 sealing bar barre de soudure barra soldante Schweißleiste	真空泵 vacuum pump pompe du vide bomba de vacío Vakuumpumpe	电压 voltage voltage tensión Spannung
Super	1140x590x1050 H	1020x420x200 H	mm 1000	Q= 60/72 m³h-OIL	400 V/50-60 Hz
Hyper	1680x680x1050 H	(720x570x220H) x2	(2xmm550) x2	Q= 100/120 m³h-OIL	400 V/50-60 Hz

密封棒的位置
SEALING BARS POSITION

SUPER

HYPER




标准功能只适用于腔体式封口机


STANDARD FUNCTION ONLY FOR CHAMBER MACHINES



多功能数字面板-
10prg Multifunction
digital panel - 10 PRG



油泵自动清洗系统
Oil made auto
cleaning system



防水控制面板
Waterproof control Panel



电子软真空
Electronic soft vacuum



全不锈钢真空室，内部圆角
Entirely printed stainless
steel vacuum chamber, with
internal round corners




连接vac系统
Connection for the
gastrovac system



聚乙烯填充方块
Polyethilene filling squares set

选配项功能只适用于腔体式封口机

OPTIONALS ONLY FOR CHAMBER MACHINES




怠速气体排放装
置 Arrangement
for idle gas



安装打印机
Printer installation



泵指定品牌Busch
Busch Pump



采用无线活塞密封
Sealing with cableless pistons



额外的密封棒
Extra Sealing Bar




产品超出切条
Exceeding cutting bar




真空传感器
Vacuum sensor



盖钩
Lid Hook




腔室高度增加
Increased chamber height



斜面平台针对液体
Inclined plane for
liquids



电压和特殊频率
Voltage and speciale frequency



腔体的真空系统
Vacuum system for
gastro containers

如果你按两次按钮，包装机的开关VAC停止功能激活(提前停止真空工作)
Packing machine's switch on/switch off Activation of VAC STOP FUNCTION (stop in advance the vacuum cycle) if you push the button twice

易乳化产品的功能(即蛋黄酱)
Easily emulsifiable products' function (i.e. mayonnaise)

进气的激活功能
Activation function of the gas intake

真空/气体/密封液位设置
Level setting for Vacuum/Gas/Sealing

快速真空循环
Fast vacuum cycle

真空泵的预热
Vacuum pump's preheating

封口时间
Sealing time

真空比例
Vacuum percentage

进气时间
Gas intake time

逐渐将空气吸入室内
Gradual intake of air into the chamber

比设定的真空时间多5秒
5 seconds of vacuum more than the established program settings

标准的真空
Standard vacuum cycle

真空程序的设置
Vacuum programs' setting

油泵的自动清洗系统
Oil pump's auto-cleaning system

控制面板
CONTROL PANEL